



WHAT'S INCLUDED

Automatic empty
Automatic flush
Energy-saving feature
Replaceable heater
Limescale repellent electrodes
Level detection outside the water tank
Automatic shut-off at low water level
Electronic temperature limiter
Stand by
Fragrance pump control
Fan control

STEAM BATH:
**STEAM
GENERATOR**

Leave the daily challenges behind you and enjoy the perfect end to a day. Give yourself some me-time in the steam. Tylö has a strong tradition of providing steam generators for public and private use. Our latest series is fitted with a state-of-the-art control unit to ensure precise operation. Control the steam, lights, timer and other features at the simple touch of a button. Add fragrances and relax. Indulge yourself and all your senses.

MODEL	OUTPUT (KW)	
PRO 9	9	
PRO 12	12	
2/4/6 VB*	2.2 4.5 6.6	
6 VA	6	
9 VA-K	9	
12 VA	12	
18 VA	18	
24 VA	24	
3x9 VA**	27	
3x12 VA**	36	



1 STEAM VA

A powerful, fully automatic steam generator with a large water tank, making it ideal for public facilities. Requires connection to electricity and water supplies. Convertible 1-phase/3-phase. IP rating: IP 45. Add your choice of control panel.

STEAM 6 VA
ITEM NO. 6620 2020

STEAM 9 VA-K
ITEM NO. 6620 3021

STEAM 12 VA
ITEM NO. 6620 4020

STEAM 18 VA
ITEM NO. 6620 5020

STEAM 24 VA
ITEM NO. 6620 6020

1-phase/3-phase. IP rating: IP 21. The H1 control panel is always included with the Steam PRO and you can add another if you wish.

9 PRO
ITEM NO. 6620 7000

12 PRO
ITEM NO. 6620 7010



3 STEAM 2/4/6 VB

A compact steam generator with the same high-quality materials, functions and features as the VA models, but with a smaller water tank to ensure rapid heating. Designed for small and medium-sized home steam rooms. IP rating: IP 23. Add your choice of control panel.

ITEM NO. 6620 1830



2 STEAM PRO

Tylö's PRO is a reliable and service-friendly steam generator that meets all needs for public facilities. It also measures the water quality and, if the quality is not good enough, its embedded failure protection system empties the tank, rinses it clean and refills it, with minimal interruption in steam production. For the sake of safety, the steam generator is also equipped with features such as an overpressure valve and temperature protection. Convertible

	THE STEAM ROOM'S MIN./MAX. VOLUME (M³)				STEAM PRODUCTION (KG/H)	SIZE IN MM (LXWXH)	SUITABLE CONTROL PANEL
	Light wall made of glass, plastic, Elysée Excellent room, etc.		Heavy wall made of tiles, concrete, stone, etc.				
	with ventilation	without ventilation	with ventilation	without ventilation			
	6 – 16	13 – 24	4 – 10	7 – 16	12	470 x 600 x 1160	h1 PRO (included)
	14 – 22	22 – 30	8 – 15	14 – 20	16	470 x 600 x 1160	
	– max. 4 3 – 8	max. 2.5 max. 5.5 4 – 15	– max. 2.5 2 – 5	max. 1.5 max. 3.3 2.5 – 8	3 5.5 8	445 x 130 x 415	CC50, CC300 and h1
	3 – 8	4 – 15	2 – 5	2.5 – 8	8	570 x 224 x 485	
	6 – 16	13 – 24	4 – 10	7 – 16	12	570 x 224 x 485	
	14 – 22	22 – 30	8 – 15	14 – 20	16	570 x 224 x 485	
	20 – 30	28 – 40	13 – 20	18 – 30	24	615 x 445 x 485	
	28 – 40	38 – 50	18 – 30	28 – 40	32	615 x 445 x 485	
	38 – 45	46 – 60	28 – 40	38 – 52	36	570 x 224 x 485	
	43 – 60	58 – 70	38 – 50	48 – 60	48	570 x 224 x 485	

* 2.2/4.5/6.6 kW convertible for single, two or three phase connection. ** Only one control panel is required for connection.

OPTIONAL & ACCESSORIES: **CONTROL PANEL**

The many different control panels for Tylö's steam rooms offer a great range of individual options. All control panels are user-friendly with clear displays that allow you to customise your sauna for optimal performance and energy efficiency.



FUNCTIONS

Tylö's stylish h1 control panel makes it easy to adjust the sauna or steam bath.

SETTINGS

CURRENT STATUS

HOME

UP/DOWN

BACK


ON/OFF

TEMPERATURE

START TIME, SELECTED PROGRAMME

LIGHTING

OK



1 h1

Electronic touch control panel displays the time and temperature in the operating mode. Can be programmed to start up to 24 hours in advance and run for 1 to 23 hours for a steam room and 1 to 12 hours for a sauna. The control panel also allows you to regulate the lighting in your sauna. Tylö's h1 control panel lets you set the maximum temperature, switch between Fahrenheit and Celsius, use a 12-hour or 24-hour format, set different languages, and more advanced settings and test options. Tylö's h1 control panel can replace Tylö's CC10 and CC50 control panels. Size: 140 x 80 mm, depth 19 mm.

ITEM NO. 7200 1020

2 EC50

Tylö's EC50 control panel makes it simple and economical to have complete control of your sauna and steam sauna. It has an easy-to-read display for convenient control of the start-up time, temperature and lighting. The panel incorporates a child-proof code lock to prevent accidental operation. Compatible with the following heaters and steam generators: Sense Plus, SD, SDK, VB and VA. Size: 130 x 190 mm, depth 27 mm. IP 24.

ITEM NO. 7121 4050

3 CC300

The CC300 can be set to run between 1 and 24 hours and has a display that indicates temperature, remaining operating time, day and time. In addition, the CC300 comes with a switch for lighting, English

instructions, memory features, security code and energy-saving, stand-by function. The CC300 has an integral weekly timer for optional automatic on/off operation and stand-by mode at preselected times on the days of your choice. The control panel can also be controlled from external units. Size: 130 x 190 mm, depth 27 mm. IP 24.

ITEM NO. 7111 5150

4 CC300T

The CC300T can be set to run between 1 and 24 hours and has a display that indicates temperature, humidity, remaining operating time, day and time. In addition, the CC300T is equipped with a switch for lighting, English instructions, a memory, security code and energy-saving, stand-by function. The CC300T has an integral weekly timer for optional automatic on/off operation and stand-by mode at preselected times on the days of your choice. The control panel can also be controlled from external units. Size: 130 x 190 mm, depth 27 mm. IP 24.

ITEM NO. 7111 5155

EXTERNAL SWITCH

On/off switch to control the sauna from locations other than where the control panel (not the TS control panel) is installed. Indicator light shows if the sauna is on or off. Fits standard wall mounting box recessed or surface mounted. Size: 80 x 80 x 47 mm

ITEM NO. 9090 8045



OPTIONAL & ACCESSORIES

Step into the steam and reveal who you are. Express your personality with a few well selected accessories. Personal style is paramount at Tylö. Our Scandinavian designers challenge themselves to design accessories that are an aesthetic statement. Ever since our founder Sven-Olof Janson made his first sauna in the 1950s, we have unveiled one ground-breaking innovation after another. Every little detail is infused with consideration and love. Open the door and discover for yourself. It's all in the details.





MEDITATIVE STARLIGHT

Spread a meditative, starlit mood in your sauna with our starry sky LED lighting. Select a colour that suits the occasion and matches the interior of the sauna.

TYLÖ'S STEAM HEADS

Step into the warmth, feel the steam caress your skin. Your muscles relax and the tension melts away. Your mind clears and your dreams come to life. A liberating feeling. The steam head illustrated has an integral dispenser for Tylö fragrances.



ADD SOUND

Enhance the feeling of calm and relaxation when you take a steam bath. Tylö's steam baths can be customised in many ways to suit the most diverse tastes. One of the favourite accessories for the Tylö Elysée is the steam and heat-proof sound system. This is available in two versions; one for mounting under the benches and one for mounting on the outside of the glass.

